


The Roller Guide



FAT HOG

History of the Hog

The Hog was born with one mission:

To get the job right, first time, every time. With no mistakes.

With Fat Hog, you get top quality decorating products.

You get a cracking result. And you get an easier life.

Fat Hog is made for professionals, by professionals with over 115 years experience in making specialist decorating products.

The new Fat Hog roller ranges give you the best tools for every job and for any budget.

For the definitive top notch finish, Fat Hog Evolution has been engineered to deliver ultimate performance – roller sleeves that are smarter, stronger and faster than the rest.

If you fancy a product that's a bit clever, rely on Fat Hog's Trade Choice + range boasting high quality woven acrylic and enhanced product features for a great professional finish.

If no fuss is what you're after, the Trade Choice range gives trade quality results at superb prices, just the job when budgets are tight.

The best tools for any job? Fat Hog. And no mistake.

Contents

| | |
|----------------------|----|
| Fat Hog Evolution | 4 |
| Fat Hog | 8 |
| Accessories | 12 |
| Rock Solid Guarantee | 14 |

Be a Breed Apart

Invest in the best

For the best results always buy quality tools, your reputation depends on it! A quality tool won't let you down even when using budget paint. You can always rely on Fat Hog to help you achieve a professional finish.

Prepare for work

Before you use it – wash it out and work it in! Wash well first then moisten the roller with the paint to be used and roll out on a piece of cardboard or wallpaper. A roller sleeve that has been worked-in well will absorb paint better and ensure any fibre remainders are removed before painting.

Wet your Hog!

Get clean results with the following clean working tips:

- Don't dip above the cage bearing.
- Roll off along the edge of the paint tray then re-dip.
- Repeat the process until the roller is loaded with paint.
- Never dip the roller completely into the paint.

The same applies when working with paint kettles or tins.

Keep it clean

Get more life out of your roller – by looking after it!

After using:

- Wash it thoroughly.
- Remove as much liquid as possible.
- Hang the roller up to dry out freely to avoid pressure marks in the pile. (Don't leave it wrapped in a plastic bag or in a bucket of water as its life will be reduced!)

Take extra care with sheepskin rollers – wash thoroughly as above but give them an extra wash in mild soapsuds to avoid any possible felting.

If in doubt, give us a shout!

For further information please ring 01924 354100



After undergoing specialist expert development the Fat Hog Evolution range has been unleashed and is specifically designed to be even smarter, stronger and faster than before. Offering exceptional application and finish compared to other products on the market Fat Hog Evolution truly is a different animal.

Gate crashing the market with intelligent fibre and foam technology Fat Hog Evolution roller sleeves are engineered to deliver outstanding results on every kind of surface.



Intelligent technology ensures whatever the substrate there is maximum paint absorption, controlled paint release, high resumption ability and the best possible surface image.

Backing up the entire Evolution range is a **ROCK SOLID GUARANTEE** giving you 28 days to get your money back if you fail to be impressed by the incredible features on show.

(For full terms and conditions on the Rock Solid Guarantee please see Page 14).

- > **SMARTER** | Fat Hog Evolution has been designed by the experts and utilises the latest intelligent technologies for outstanding performance qualities.
- > **STRONGER** | Fat Hog has already proven its fearsome power when it comes to endurance but Evolution has raised the bar even further. Designed for heavy-duty professional application the new improved Hog is going to take some wearing down.
- > **FASTER** | Fat Hog Evolution has exceptional recovery power to enable a highly efficient professional finish first time every time.

Smooth

- > 12mm high grade polyester "lint free" fabric
- > Perfect paint loading and release for the finest finish on smooth surfaces
- > No roller marks or edge tracking
- > Thermally fused core for maximum durability
- > Suitable for emulsion, water based gloss and acrylic eggshell paints



| PRODUCT CODE | SIZE | CORE SIZE | PILE LENGTH |
|--------------|------------|---------------|-------------|
| F10170 | 9" (229mm) | 1 3/4" (44mm) | 12mm |

Semi Rough

- > 13mm woven polyamide
- > Ultimate absorption and transfer of paint for maximum coverage on semi rough surfaces
- > Strong fibre recovery for the highest labour efficiency
- > Easy to clean
- > Thermally fused core for maximum durability
- > Suitable for emulsion and smooth masonry paints



| PRODUCT CODE | SIZE | CORE SIZE | PILE LENGTH |
|--------------|-------------|---------------|-------------|
| F10020 | 9" (229mm) | 1 3/4" (44mm) | 13mm |
| F10030 | 12" (305mm) | 1 3/4" (44mm) | 13mm |

Rough

- > 21mm woven polyamide
- > Ultimate absorption and transfer of paint for maximum coverage on rough surfaces
- > Strong fibre recovery giving a controlled fast even finish and extreme labour efficiency
- > Easy to clean
- > Thermally fused core for maximum durability
- > Suitable for emulsion and masonry paints



| PRODUCT CODE | SIZE | CORE SIZE | PILE LENGTH |
|--------------|-------------|---------------|-------------|
| F10040 | 9" (229mm) | 1 3/4" (44mm) | 21mm |
| F10050 | 12" (305mm) | 1 3/4" (44mm) | 21mm |

Microfibre

- > 12mm solvent resistant fabric, which is specially treated allowing it to store up to six times the amount of its own volume
- > Optimum paint loading and release for an ultra smooth uniform finish
- > No splatter or matting
- > Thermally fused core for maximum durability
- > Suitable for emulsion and woodstains



| PRODUCT CODE | SIZE | CORE SIZE | PILE LENGTH |
|--------------|------------|---------------|-------------|
| FI0060 | 9" (229mm) | 1 3/4" (44mm) | 12mm |

Sheepskin

- > Specially selected 21mm premium Californian Sheepskin
- > Unbeatable absorption and transfer of paint for ultimate sustained coverage
- > Tight crimp and natural spring gives exceptional labour efficiency and no loss of pile
- > 100% hand-made for extreme performance and durability
- > Easy to clean
- > Suitable for emulsion and masonry paints



| PRODUCT CODE | SIZE | CORE SIZE | PILE LENGTH |
|--------------|-------------|---------------|-------------|
| FI0070 | 9" (229mm) | 1 3/4" (44mm) | 21mm |
| FI0080 | 12" (305mm) | 1 3/4" (44mm) | 21mm |

Mini Rollers

Glosser

- > 5mm high density woven fabric
- > No splatter or matting
- > Designed for precision working, its unique structure ensures an extremely uniform finish can be obtained
- > Thermally fused core for maximum durability
- > Suitable for interior and exterior glosses and finishing paints



| PRODUCT CODE | SIZE | CORE SIZE | PILE LENGTH |
|--------------|------------|--------------|-------------|
| FI0120 | 4" (102mm) | Stick System | 5mm |

Concave Foam

- > CFC-free and formed without any solvents
- > Lightweight, high-density foam ensures an ultra smooth finish and is 20% more efficient than a standard mini foam roller
- > The inward concave ends make it possible to roll corners precisely and avoid roller marks
- > Thermally fused core for maximum durability
- > Suitable for gloss and eggshell paints



| PRODUCT CODE | SIZE | CORE SIZE | PILE LENGTH |
|--------------|------------|--------------|-------------|
| FI0130 | 4" (102mm) | Stick System | - |

Smooth

- > 12mm high grade polyester "lint free" fabric
- > Perfect paint loading and release for the finest finish on smooth surfaces
- > No roller marks or edge tracking
- > Thermally fused core for maximum durability
- > Suitable for emulsion, water based gloss and acrylic eggshell paints



| PRODUCT CODE | SIZE | CORE SIZE | PILE LENGTH |
|--------------|------------|--------------|-------------|
| FI0090 | 4" (102mm) | Stick System | 12mm |

Rough

- > 21mm woven polyamide
- > Ultimate absorption and transfer of paint for maximum coverage on rough surfaces
- > Strong fibre recovery for extreme labour efficiency
- > Easy to clean
- > Thermally fused core for maximum durability
- > Suitable for emulsion and masonry paints



| PRODUCT CODE | SIZE | CORE SIZE | PILE LENGTH |
|--------------|------------|--------------|-------------|
| FI0100 | 4" (102mm) | Stick System | 21mm |

Microfibre

- > 12mm solvent resistant fabric, which is specially treated allowing it to store up to six times the amount of its own volume
- > Optimum paint loading and release for an ultra smooth uniform finish
- > No splatter or matting
- > Thermally fused core for maximum durability
- > Suitable for emulsion and woodstains



| PRODUCT CODE | SIZE | CORE SIZE | PILE LENGTH |
|--------------|------------|--------------|-------------|
| FI0110 | 4" (102mm) | Stick System | 12mm |



Developed with the professional decorator in mind, Fat Hog's **Trade Choice +** collection gives you a different breed of decorating tool to ensure whatever the job and budget at hand, a professional finish may be obtained.

Made from high performing woven acrylic, the **Trade Choice +** range boasts enhanced product features for excellent results.

Offering:

- + Enhanced durability**
- + Reduced fibre shed**
- + Superior paint loading & distribution**



Short Pile

| PRODUCT CODE | SIZE | CORE SIZE | PILE LENGTH |
|--------------|-------------|---------------|-------------|
| FH0440 | 9" (229mm) | 1 3/4" (44mm) | 5mm |
| FH0450 | 12" (305mm) | 1 3/4" (44mm) | 5mm |



Medium Pile

| PRODUCT CODE | SIZE | CORE SIZE | PILE LENGTH |
|--------------|------------|---------------|-------------|
| FH0430 | 9" (229mm) | 1 3/4" (44mm) | 12mm |



Long Pile

| PRODUCT CODE | SIZE | CORE SIZE | PILE LENGTH |
|--------------|-------------|---------------|-------------|
| FH0410 | 9" (229mm) | 1 3/4" (44mm) | 18mm |
| FH0420 | 12" (305mm) | 1 3/4" (44mm) | 18mm |

Mini Rollers



Medium Pile

| PRODUCT CODE | SIZE | CORE SIZE | PILE LENGTH |
|--------------|------------|--------------|-------------|
| FH0490 | 4" (102mm) | Stick System | 12mm |



Long Pile

| PRODUCT CODE | SIZE | CORE SIZE | PILE LENGTH |
|--------------|------------|--------------|-------------|
| FH0480 | 4" (102mm) | Stick System | 18mm |



Simulated Mohair

| PRODUCT CODE | SIZE | CORE SIZE | PILE LENGTH |
|--------------|------------|--------------|-------------|
| FH0510 | 4" (102mm) | Stick System | 4mm |



Fat Hog's **Trade Choice** collection gives you even more choice to ensure there is a Hog for every kind of job.

Made from hard wearing polyester, the **Trade Choice** range gives great coverage and trade quality at an exceptional price - just the job when budgets are tight.



Short Pile

| PRODUCT CODE | SIZE | CORE SIZE | PILE LENGTH |
|--------------|------------|--|-------------|
| FH0400 | 9" (229mm) | 1 ³ / ₄ " (44mm) | 4mm |



Medium Pile

| PRODUCT CODE | SIZE | CORE SIZE | PILE LENGTH |
|--------------|-------------|--|-------------|
| FH0380 | 9" (229mm) | 1 ³ / ₄ " (44mm) | 12mm |
| FH0390 | 12" (305mm) | 1 ³ / ₄ " (44mm) | 12mm |




Long Pile

| PRODUCT CODE | SIZE | CORE SIZE | PILE LENGTH |
|--------------|-------------|--|-------------|
| FH0350 | 9" (229mm) | 1 ³ / ₄ " (44mm) | 18mm |
| FH0360 | 12" (305mm) | 1 ³ / ₄ " (44mm) | 18mm |
| FH0370 | 15" (381mm) | 1 ³ / ₄ " (44mm) | 18mm |



Extra Long Pile

| PRODUCT CODE | SIZE | CORE SIZE | PILE LENGTH |
|--------------|------------|--|-------------|
| FH0340 | 9" (229mm) | 1 ³ / ₄ " (44mm) | 28mm |



Foam

| PRODUCT CODE | SIZE | CORE SIZE | PILE LENGTH |
|--------------|------------|--|-------------|
| FH0460 | 7" (178mm) | 1 ³ / ₄ " (44mm) | - |
| FH0470 | 9" (229mm) | 1 ³ / ₄ " (44mm) | - |

Mini Rollers



General Purpose

| PRODUCT CODE | SIZE | CORE SIZE | PILE LENGTH |
|--------------|------------|--------------|-------------|
| FH0500 | 4" (102mm) | Stick System | 12mm |



Foam

| PRODUCT CODE | SIZE | CORE SIZE | PILE LENGTH |
|--------------|------------|--------------|-------------|
| FH0520 | 4" (102mm) | Stick System | - |

Accessories



FAT HOG
EVOLUTION

Premium rollers need premium frames and **Fat Hog Evolution** doesn't disappoint with its durable ultra grip roller frames.

9" Heavy Weight Roller Frame

FI0140

An ultra strong 9" roller frame with a durable heavyweight construction.

- > Ultimate comfort soft grip handle
- > Screw fit
- > American style robust frame
- > Nylon bearings



4" Soft Grip Mini Frame

FI0150

An ultra strong 4" mini stick frame.

- > Ultimate comfort soft grip handle
- > Push fit
- > Robust construction



FAT HOG

The Hog also delivers with its **Trade Choice +** collection of professional decorating accessories giving you the freedom to choose the right tool for you and the job at hand.

9" Soft Grip
Cage Frame FH0750

+ Soft grip + Push fit



9" Wooden
Cage Frame FH0740

+ Polished wooden handle + Screw fit



12" & 15"
Double Arm Frame

12" FH0720 / 15" FH0730

+ Cast steel
lightweight frame
+ Dual function frame
+ Screw fit



Quick Release
Extension Pole

2'-4' FH0830 / 4'-8' FH0840

+ Fibre glass lightweight pole
+ Quick release locking mechanism
+ Soft grip non slip handle
+ For screw & push fit roller frames
+ Available in 2 sizes 2'-4' & 4'-8'





TERMS AND CONDITIONS

If you are not totally satisfied with your Fat Hog Evolution product, please return it within 28 days of purchase, with the original packaging and a clear proof of purchase, to your nearest Johnstone's Leyland Decorating Centre / PPG Architectural Coatings EMEA Region UK and Ireland authorised distributor. A full refund of the purchase price will then be issued. This guarantee does not affect and is in addition to your statutory rights.

THE ROCK SOLID GUARANTEE

is subject to the following terms:

- > The product is part of the Fat Hog Evolution range.
- > This offer is limited to purchases made within the UK including Northern Ireland, the Channel Islands and the Irish Republic.
- > We reserve the right to refuse multiple returns of the same product that have been used.



Fat Hog Team

PPG Architectural Coatings UK Limited
Huddersfield Road, Birstall, Batley,
West Yorkshire WF17 9XA
United Kingdom

Switchboard:

Tel: +44 (0) 1924 354000 Fax: +44 (0) 1924 354001

Technical enquiries:

Tel: +44 (0) 1924 354100 Fax: +44 (0) 1924 354101

Sales enquiries:

Tel : +44 (0) 1924 354600 Fax: +44 (0) 1924 354601